PATENT NO.

: 6,806,567 B2

Page 1 of 9

APPLICATION NO.: 09/834297

DATED

: October 19, 2004

INVENTOR(S)

: David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings:

FIGURE 3A.

delete the lower lead line of "32" (right-most

occurrence) (already crossed out)

FIGURE 3D,

shorten the lead line of "44" to better indicate

the exposed surface (excess already crossed

FIGURE 3G,

shorten the lead line of "44" to better indicate the exposed surface (excess already crossed out), shorten the lead line of "22" to better indicate the wire (excess already crossed out), and add the reference numeral --18-- with

appropriate lead line (already handwritten in) delete the lower lead line of "32" (right-most

occurrence) (already crossed out)

FIGURE 4E,

FIGURE 4A,

change "3" to --38-- (both occurrences) (already crossed out and handwritten in)

FIGURE 5,

shorten the lead line of "14" to better indicate

the active surface (excess already crossed out)

PATENT NO.

: 6,806,567 B2

Page 2 of 9

APPLICATION NO.: 09/834297

DATED

: October 19, 2004

INVENTOR(S)

: David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings (continued):

FIGURE 7,

shorten the lead line of "14" to better indicate

the active surface (excess already crossed out),

and delete reference numeral "64" with corresponding lead line (already crossed out)

In the specification:

COLUMN 6, LINE 38,

change "elastomer 50" to --elastomer 150--

Signed and Sealed this

Tenth Day of June, 2008

JON W. DUDAS Director of the United States Patent and Trademark Office

PATENT NO.

: 6,806,567 B2

Page 3 of 9

APPLICATION NO.: 09/834297

DATED


: October 19, 2004

INVENTOR(S)

: David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace FIG. 3A with the following:



PATENT NO. : 6,806,567 B2 Page 4 of 9


APPLICATION NO.: 09/834297

DATED: October 19, 2004

INVENTOR(S): David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace FIG. 3D with the following:



PATENT NO.

: 6,806,567 B2

Page 5 of 9

APPLICATION NO.: 09/834297

DATED


: October 19, 2004

INVENTOR(S)

: David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace FIG. 3G with the following:



PATENT NO.

: 6,806,567 B2

Page 6 of 9

APPLICATION NO.: 09/834297

DATED


: October 19, 2004

INVENTOR(S)

: David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace FIG. 4A with the following:



PATENT NO.

: 6,806,567 B2

Page 7 of 9

APPLICATION NO.: 09/834297

DATED INVENTOR(S) : October 19, 2004 : David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace FIG. 4E with the following:




Fig. 4E

PATENT NO.

: 6,806,567 B2

Page 8 of 9

DATED

APPLICATION NO.: 09/834297


: October 19, 2004

INVENTOR(S)

: David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace FIG. 5 with the following:



Page 9 of 9

PATENT NO. : 6,806,567 B2 APPLICATION NO.: 09/834297

DATED : October 19, 2004 INVENTOR(S) : David R. Hembree

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace FIG. 7 with the following:

